This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.








Fig.



2/15 Fig. 3



3/15

	Example 1	Example 2	Example 3	Example 4	Example 5	Example 6
Twist angle 0t	-	240°		-	255°	
ρυγ		0.81 µm			0.76 µm	
R2 And	520 nm	540 nm	250 nm	540 nm	550 nm	260 nm
R1 And	605 nm	615 nm	625 nm	140 nm	160 nm	180 ກາກ
Angle formed by						
absorption axis and	-	. 520			30°	
optical axis of R2 01						
Angle formed by						
optical axes of R1 and		۷00			. 400	
. R2 02						
Brightness in	32.5%	32.2%	32.9%	248	25%	. 26%
reflection						
Contrast	15	19	12	16	17	11



Fig. 5







Fig. 6



5/15





7/15 Fig. 10




Fig. 11




Fig. 12




Fig. 13






Fig:14



10/15

i g. 15



Inventor(s): Chiyoaki IIJIMA Atty. Ref.: 9319S-199DVA

11/15

Fig. 16





Fig. 17



12/15

Fig. 18






Fig. 19





13/15 Fig. 21






Fig. 22





15/15.

Fig. 24(a)




Fig. 24(b)




Fig. 24(c)

